

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	61549	wireless adj2 (lan local adj area adj network )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:24
S2	346	S1 and current adj consumption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:25
S3	1150	S1 and linearity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:25
S4	10570	S1 and loss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:25
S5	94	S2 and linearity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:25
S6	41	S5 and loss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:25
S7	16	S6 and length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:26
S8	7	S6 and length near3 ( shorter longer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:26

S9	17	S2 and length near3 ( shorter longer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:27
S10	10	S9 not S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:27
S11	70	S1 and length near3 ( shorter longer) near3 ( line stripline microstrip conductor trace pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:28
S12	352	antenna and ( transmitter transmission ) and (receiver reception) and length near3 ( shorter longer) near3 ( line stripline microstrip conductor trace pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:31
S13	235	S12 and ((power current) adj consumption loss linearity )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:34
S14	64	S13 and "333"\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:34
S15	461	(333/132).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 09:38
S16	261	(333/126).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 09:39
S17	102	(333/129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 09:39

S18	637	(333/134).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 09:39
S19	5	S17 and length near3 ( shorter longer) near3 ( line stripline microstrip conductor trace pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:42
S20	221	S16 not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:42
S21	12	S20 and length near3 ( shorter longer) near3 ( line stripline microstrip conductor trace pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:46
S22	407	S15 not(S16 S17)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:48
S23	407	S15 not (S16 S17)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:48
S24	1	S23 and length near3 ( shorter longer) near3 ( line stripline microstrip conductor trace pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:48
S25	25	S18 and length near3 ( shorter longer) near3 ( line stripline microstrip conductor trace pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:49
S26	1053	S15 S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:50

S27	25	((transmitt\$5 transmission) and (reception receiv\$4) and length and ( line stripline microstrip trace pattern) and output and input and (circuit amplifier mixer) and antenna and (shorter longer) ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:34
S28	1	((transmitt\$5 transmission) and (reception receiv\$4) and length and ( line stripline microstrip trace pattern) and output and input and ((power low adj noise) adj amplifier) and antenna and (shorter longer) ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:36
S29	4	((transmitt\$5 transmission) and (reception receiv\$4) and length and ( line stripline microstrip trace pattern) and ((power low adj noise) adj amplifier) and antenna and (shorter longer) ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:37

10/21/08 2:23:25 PM

C:\Documents and Settings\KGlenn\My Documents\EAST\Workspaces\10829236.wsp